

**MATERIAL SAFETY DATA SHEET**

MEDICAL EMERGENCY ONLY, 24 HOUR SERVICE: 1-800-535-5053

**PRODUCT : GALAXY NP 4-5#/CS**

12104

Sanolite Corporation

26 Papetti Plaza Elizabeth NJ 07207-0818 (800) 221-0806

---

**1.0 IDENTIFICATION**

- |     |               |                         |
|-----|---------------|-------------------------|
| 1.1 | PRODUCT NAME: | GALAXY NP 4-5#/CS       |
| 1.2 | PRODUCT TYPE: | LAUNDRY DETERGENT,SOLID |
- 

**2.0 HAZARDOUS COMPONENTS**

- |     |   |  |
|-----|---|--|
| 2.1 | : | SODIUM DODECYLBENZENESULFONATE 25155-30-0            |
| 2.1 | : | SODIUM CARBONATE PEROXYHYDRATE CAS NO.<br>15630-89-4 |

**This product contains no other component considered hazardous according to the criteria of 29 CFR 1910.1200.**

---

**3.0 PHYSICAL DATA**

- |     |                      |                     |
|-----|----------------------|---------------------|
| 3.1 | APPEARANCE AND ODOR: | BLUE,SOLID MATERIAL |
| 3.2 | SOLUBILITY IN WATER: | COMPLETE            |
- 

**4.0 FIRE & EXPLOSION DATA**

- |     |                             |  |
|-----|-----------------------------|--|
| 4.1 | FIREFIGHTING METHODS:       | WEAR PROTECTIVE CLOTHING AND FULL FACE,<br>SELF-CONTAINED BREATHING APPARATUS. |
| 4.2 | FIRE AND EXPLOSION HAZARDS: | DECOMPOSES THERMALLY TO LIBERATE OXYGEN.                                       |
| 4.5 | EXTINGUISHING MEDIA:        | WATER  |
- 

**5.0 REACTIVITY DATA**

- |     |                  |  |
|-----|------------------|--|
| 5.1 | STABILITY:       | STABLE UNDER NORMAL CONDITIONS OF HANDLING.          |
| 5.3 | INCOMPATIBILITY: | REDUCING AGENTS; ORGANIC MATERIALS; HEAVY<br>METALS. |
- 

**6.0 SPILL OR LEAK PROCEDURES/ USE PROPER PROTECTIVE EQUIPMENT**

- |     |                 |   |
|-----|-----------------|---|
| 6.1 | CLEANUP:        | DILUTE WITH WATER AND DISPOSE INTO SEWER.                             |
| 6.2 | WASTE DISPOSAL: | DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND<br>LOCAL REGULATIONS. |
- 

**7.0 HEALTH HAZARD DATA**

**MATERIAL SAFETY DATA SHEET**

MEDICAL EMERGENCY ONLY, 24 HOUR SERVICE: 1-800-535-5053

**PRODUCT : GALAXY NP 4-5#/CS**

12104

Sanolite Corporation

26 Papetti Plaza Elizabeth NJ 07207-0818 (800) 221-0806

---

**7.0 HEALTH HAZARD DATA**

- 7.1 OVEREXPOSURE: MAY BE HARMFUL IF SWALLOWED OR IRRITATING ON CONTACT WITH EYES, SKIN AND MUCOUS MEMBRANES.
- 

**8.0 FIRST AID**

- 8.1 EYES: IMMEDIATELY FLUSH WITH PLENTY OF COOL RUNNING WATER FOR AT LEAST 15 MINUTES.GET MEDICAL ATTENTION.
- 8.2 SKIN: FLUSH WITH WATER; IF IRRITATION DEVELOPS, GET MEDICAL ATTENTION.
- 8.3 IF SWALLOWED: DRINK LARGE QUANTITIES OF WATER. GET MEDICAL ATTENTION IMMEDIATELY.

**CALL A POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY**

---

**9.0 SPECIAL PROTECTION INFORMATION**

- 9.0 SPECIAL PROTECTION INFORMATION DUE TO THE SOLID FORM OF THIS PRODUCT NO SPECIAL PROTECTION IS NECESSARY UNDER NORMAL USAGE. THE FOLLOWING PROTECTION IS ADVISABLE IF EXPOSURE TO THIS PRODUCT OR ITS USE SOLUTION IS LIKELY.
- 9.1 RESPIRATORY:: AVOID BREATHING MISTS OR VAPORS CONTAINING THIS PRODUCT.
- 9.2 SKIN:: RUBBER GLOVES
- 9.3 EYE PROTECTION:: SPLASHPROOF GLASSES, GOGGLES OR FACE SHIELD.
- 9.5 VENTILATION:: LOCAL EXHAUST
- 

**10.0**

- 10.0 STORE IN COOL, DRY AREA AND AWAY FROM EXCESSIVE HEAT.
- 10.1 D.O.T. CLASS: COMPOUND, CLEANING SOLID, N.O.I.B.N.
- 10.3 OTHER PRECAUTIONS: FOR INDUSTRIAL USE ONLY

**KEEP OUT OF REACH OF CHILDREN**

---

UNK = Unknown at this time      PEL = Permissible Exposure Limit  
TLV = Threshold Limit Value      STEL = Short Term Exposure Limit  
C = Ceiling Limit, Not To Be Exceeded

## MATERIAL SAFETY DATA SHEET

MEDICAL EMERGENCY ONLY, 24 HOUR SERVICE: 1-800-535-5053

The above information is believed to be correct with respect to the formula used to manufacture the product. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

---

UNK = Unknown at this time      PEL = Permissible Exposure Limit  
TLV = Threshold Limit Value      STEL = Short Term Exposure Limit  
C = Ceiling Limit, Not To Be Exceeded