

MATERIAL SAFETY DATA SHEET

MEDICAL EMERGENCY ONLY, 24 HOUR SERVICE: 1-800-535-5053

PRODUCT : HSR-STAIN REMOVER LC1126 5 GAL DR

0931ME

Sanolite Corporation

26 Papetti Plaza Elizabeth NJ 07207-0818 (800) 221-0806

1.0 IDENTIFICATION

- | | | |
|-----|---------------|-----------------------------------|
| 1.1 | PRODUCT NAME: | HSR-STAIN REMOVER LC1126 5 GAL DR |
| 1.2 | PRODUCT TYPE: | ALKALINE CLEANER |
-

2.0 HAZARDOUS COMPONENTS

- | | | |
|-----|---|--|
| 2.1 | : | POTASSIUM HYDROXIDE C.A.S. NO. 1310-58-3 |
| 2.1 | : | BUTOXYETHANOL C.A.S. NO. 111-76-2 |
| 2.1 | : | ETHANOL, 2-AMINO- C.A.S. NO. 141-43-5 |

This product contains no other component considered hazardous according to the criteria of 29 CFR 1910.1200.

3.0 PHYSICAL DATA

- | | | |
|-----|----------------------|-----------------------------|
| 3.1 | APPEARANCE AND ODOR: | CLEAR, LIGHT YELLOW LIQUID. |
| 3.2 | SOLUBILITY IN WATER: | COMPLETE |
| 3.3 | PH:: | 12.9-13.1 |
| 3.4 | BOILING POINT:: | 212 DEGR.F |
-

4.0 FIRE & EXPLOSION DATA

- | | | |
|-----|-----------------------------|---|
| 4.1 | FIREFIGHTING METHODS: | WEAR PROTECTIVE CLOTHING AND NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS. |
| 4.2 | FIRE AND EXPLOSION HAZARDS: | AMMONIA, NITROGEN OXIDES UNDER FIRE CONDITIONS. |
-

5.0 REACTIVITY DATA

- | | | |
|-----|---------------------------|--|
| 5.1 | STABILITY: | STABLE |
| 5.3 | INCOMPATIBILITY: | OXIDIZING MATERIALS, ALKALIS, STRONG ACIDS, ALUMINUM, ZINC, GALVANIZED METALS. |
| 5.4 | HAZ.DECOMP.PROD: | CARBON DIOXIDE,CARBON MONOXIDE,NITROGEN OXIDES. |
| 5.5 | HAZARDOUS POLYMERIZATION: | WILL NOT OCCUR |
-

6.0 SPILL OR LEAK PROCEDURES/ USE PROPER PROTECTIVE EQUIPMENT

- | | | |
|-----|-----------------|---|
| 6.1 | CLEANUP: | ABSORB WITH AN ABSORBENT MATERIAL AND PUT IN A CONTAINER FOR PROPER DISPOSAL. |
| 6.2 | WASTE DISPOSAL: | DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS. |
-

7.0 HEALTH HAZARD DATA

MATERIAL SAFETY DATA SHEET

MEDICAL EMERGENCY ONLY, 24 HOUR SERVICE: 1-800-535-5053

PRODUCT : HSR-STAIN REMOVER LC1126 5 GAL DR

0931ME

Sanolite Corporation

26 Papetti Plaza Elizabeth NJ 07207-0818 (800) 221-0806

7.0 HEALTH HAZARD DATA

- 7.1 OVEREXPOSURE: MAY BE HARMFUL OR FATAL IF SWALLOWED. MAY CAUSE SEVERE IRRITATION OF THE MOUTH, THROAT, ESOPHAGUS AND STOMACH.
-

8.0 FIRST AID

- 8.1 EYES: IMMEDIATELY FLUSH WITH PLENTY OF COOL RUNNING WATER FOR AT LEAST 15 MINUTES.GET MEDICAL ATTENTION.
- 8.2 SKIN: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE.
- 8.3 IF SWALLOWED: DRINK COPIOUS AMOUNTS OF WATER OR MILK. GET MEDICAL ATTENTION.
- 8.4 IF INHALED: REMOVE TO FRESH AIR
- CALL A POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY**
-

9.0 SPECIAL PROTECTION INFORMATION

- 9.1 RESPIRATORY:: USE NIOSH/MSHA APPROVED RESPIRATOR WHERE DUST OR MIST MAY BE GENERATED.
- 9.2 SKIN:: RUBBER GLOVES - PROTECTIVE CUFF OR GAUNTLET TYPE PREFERRED.
- 9.3 EYE PROTECTION:: SPLASHPROOF GLASSES, GOGGLES OR FACE SHIELD.
- 9.4 OTHER PROTECTION EQUIPMENT:: APRON, EYE WASH STATION.
- 9.5 VENTILATION:: LOCAL EXHAUST
-

10.0

- 10.0 DO NOT GET IN EYES, ON SKIN, ON CLOTHING. KEEP CONTAINER CLOSED IN COOL, DRY AREA AWAY FROM SOURCES OF IGNITION. WASH THOROUGHLY AFTER HANDLING.
- 10.1 D.O.T. CLASS: COMPOUND,CLEANING LIQUID,N.O.I.B.N.
- 10.3 OTHER PRECAUTIONS: FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

UNK = Unknown at this time PEL = Permissible Exposure Limit
TLV = Threshold Limit Value STEL = Short Term Exposure Limit
C = Ceiling Limit, Not To Be Exceeded

MATERIAL SAFETY DATA SHEET

MEDICAL EMERGENCY ONLY, 24 HOUR SERVICE: 1-800-535-5053

The above information is believed to be correct with respect to the formula used to manufacture the product. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

UNK = Unknown at this time PEL = Permissible Exposure Limit
TLV = Threshold Limit Value STEL = Short Term Exposure Limit
C = Ceiling Limit, Not To Be Exceeded