

MATERIAL SAFETY DATA SHEET

MEDICAL EMERGENCY ONLY, 24 HOUR SERVICE: 1-800-535-5053

PRODUCT : ORANGE MIST 6 QTS/CS

83997

Sanolite Corporation

26 Papetti Plaza Elizabeth NJ 07207-0818 (800) 221-0806

1.0 IDENTIFICATION

- | | | |
|-----|---------------|--------------------------|
| 1.1 | PRODUCT NAME: | ORANGE MIST 6 QTS/CS |
| 1.2 | PRODUCT TYPE: | CLEANING COMPOUND,LIQUID |
-

2.0 HAZARDOUS COMPONENTS

- | | | |
|-----|---|------|
| 2.1 | : | NONE |
|-----|---|------|

This product contains no other component considered hazardous according to the criteria of 29 CFR 1910.1200.

3.0 PHYSICAL DATA

- | | | |
|-----|----------------------|-----------------------------|
| 3.1 | APPEARANCE AND ODOR: | ORANGE LIQUID; ORANGE ODOR. |
| 3.2 | SOLUBILITY IN WATER: | COMPLETE |
| 3.3 | PH:: | N/A |
| 3.4 | BOILING POINT:: | ABOUT 200 DEGR.F |
-

4.0 FIRE & EXPLOSION DATA

- | | | |
|-----|-----------------------------|--|
| 4.2 | FIRE AND EXPLOSION HAZARDS: | NONE |
| 4.3 | FLASH POINT: | 155 DEGR.F (TCC) |
| 4.5 | EXTINGUISHING MEDIA: | WATER, DRY CHEMICAL, FOAM OR CARBON DIOXIDE. |
-

5.0 REACTIVITY DATA

- | | | |
|-----|---------------------------|----------------|
| 5.1 | STABILITY: | STABLE |
| 5.3 | INCOMPATIBILITY: | NONE |
| 5.4 | HAZ.DECOMP.PROD: | NONE |
| 5.5 | HAZARDOUS POLYMERIZATION: | WILL NOT OCCUR |
| 5.6 | CONDITIONS TO AVOID: | |
-

6.0 SPILL OR LEAK PROCEDURES/ USE PROPER PROTECTIVE EQUIPMENT

- | | | |
|-----|-----------------|--|
| 6.1 | CLEANUP: | ABSORB THE SPILL WITH AN ABSORBENT MATERIAL.
PLACE IT IN A CONTAINER AND DISPOSE OF ACCORDING
TO FEDERAL, STATE AND LOCAL REGULATIONS. |
| 6.2 | WASTE DISPOSAL: | DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND
LOCAL REGULATIONS. |
-

7.0 HEALTH HAZARD DATA

- | | | |
|-------|-------|-------------------|
| 7.1 A | EYES: | SLIGHT IRRITATION |
|-------|-------|-------------------|

MATERIAL SAFETY DATA SHEET

MEDICAL EMERGENCY ONLY, 24 HOUR SERVICE: 1-800-535-5053

PRODUCT : ORANGE MIST 6 QTS/CS

83997

Sanolite Corporation
26 Papetti Plaza Elizabeth NJ 07207-0818 (800) 221-0806

7.0 HEALTH HAZARD DATA

- 7.1 B SKIN: MAY IRRITATE ON REPEATED OR PROLONGED CONTACT
- 7.1 C IF SWALLOWED: MAY CAUSE IRRITATION TO MOUTH,ESOPHAGUS,& STOMACH.
- 7.1 D IF INHALED: VAPOR AND MIST CAN CAUSE HEADACHE, NAUSEA AND IRRITATION OF THE EYES, NOSE, THROAT AND LUNGS.
-

8.0 FIRST AID

- 8.1 EYES: FLUSH WITH COPIOUS WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS OBTAIN MEDICAL ATTENTION.
- 8.2 SKIN: FLUSH WITH WATER; IF IRRITATION DEVELOPS, GET MEDICAL ATTENTION.
- 8.3 IF SWALLOWED: DRINK A LARGE QUANTITY OF WATER OR MILK. DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.
- 8.4 IF INHALED: MOVE TO FRESH AIR,GIVE OXYGEN IF BREATHING IS DIFFICULT.

CALL A POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY

9.0 SPECIAL PROTECTION INFORMATION

- 9.1 RESPIRATORY:: NONE REQUIRED IN NORMAL USE.
- 9.2 SKIN:: IMPERVIOUS GLOVES - SYNTHETIC RUBBER, NEOPRENE.
- 9.3 EYE PROTECTION:: SAFETY GLASSES OR GOGGLES
- 9.4 OTHER PROTECTION EQUIPMENT:: NONE
- 9.5 VENTILATION:: NOT NEEDED IN NORMAL USE.
-

10.0

- 10.0 KEEP IN CLOSED CONTAINERS WHEN NOT IN USE. STORE IN COOL, DRY PLACE WITH ADEQUATE VENTILATION. DO NOT STORE NEAR HEAT OR OPEN FLAME. WASH THOROUGHLY AFTER HANDLING.
- 10.1 D.O.T. CLASS: COMPOUND,CLEANING LIQUID,N.O.I.B.N.
- 10.3 OTHER PRECAUTIONS: FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

UNK = Unknown at this time PEL = Permissible Exposure Limit
TLV = Threshold Limit Value STEL = Short Term Exposure Limit
C = Ceiling Limit, Not To Be Exceeded

MATERIAL SAFETY DATA SHEET

MEDICAL EMERGENCY ONLY, 24 HOUR SERVICE: 1-800-535-5053

PRODUCT : ORANGE MIST 6 QTS/CS

83997

Sanolite Corporation

26 Papetti Plaza Elizabeth NJ 07207-0818 (800) 221-0806

The above information is believed to be correct with respect to the formula used to manufacture the product. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

UNK = Unknown at this time PEL = Permissible Exposure Limit
TLV = Threshold Limit Value STEL = Short Term Exposure Limit
C = Ceiling Limit, Not To Be Exceeded